TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG
MONTHLY SUMMARY
(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE ISLAND LIGHT STATION MONTH OF APRIL

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	2260		100	23	8,500		
EXPENDED	385		15	0	1,900		
REMAINING	1,875		85	23	8,100		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	826,10 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	4540 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	87150 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585		X			
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rocks L/S	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
Vincent R. Roy BM1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 1 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	3	29.72	—	36	C	—	—	8	—	—
0400	SE	4	29.60	—	34	R	—	—	8	—	—
0800	NE	4	29.46	—	37	R/F	—	—	9	—	—
1200	NE	4	29.25	—	40	R/Z	—	—	7	—	—
1600	N	3	29.17	—	40	R/F	—	—	8	—	—
2000	NW	4	29.22	—	38	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2260	23	2500
EXPENDED	10	—	100
REMAINING	2250	23	2400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1100 Time Lighted 1530

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0530	1100	5	30	
1530	1630	1	00	
TOTAL FOR DAY		6	30	
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all vis A/N

0400 Checked all vis A/N

0530 Started Fog signal + Gull Rocks Bell.

0600 Gull Rocks Bell inoperative - Castle Hill notified

0745 Quarters

J W Owens BM1

0800-1600

0800 Colors - turn to

0900 Gull Rocks bell in normal operation

1100 Secured fog signal and Gullrocks bell

Secured main light

1130 Secured from work

1200 Chow

1300 Turned to

1350 Suttor, R.L. departed for Newport Post office to pick up mail

1400 Suttor, R.L. returned from Newport

1530 Turned on Fog signal, Gullrocks bell + main light

1600 checked all vis A/n + secured

R. L. Suttor

1600-2400

1630 Secured fog signal + Gullrocks bell

1600 Colors.

2000 Checked all A/N

J W Owens

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 2 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	5	29.30	—	38	B/c	—	—	8	—	—
0400	SW	6	29.38	—	38	B	—	—	8	—	—
0800	SW	7	29.44	—	42	B	—	—	8	—	—
1200	SW	6	29.40	—	42	c	—	—	8	—	—
1600	W	4	29.40	—	44	BC	—	—	8	—	—
2000	W	4	29.47	—	38	B/c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2250	23	2400
EXPENDED	10	—	100
REMAINING	2240	23	2300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0800

0000 Checked all vis a/o
0400 Checked all vis a/o
0600 Main light off
0800 Colours

R. Sutton

0800 – 1600

1200 Chow

1600 – 2400

1600 Checked all vis a/o
1800 Turned main light on – Colours
2000 Checked all vis a/o

R. Sutton

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 3 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	5	29.44	-	34	B/C	—	—	8	—	—
0400	W	6	29.42	-	33	B	—	—	8	—	—
0800	SW	6	29.38	-	36	B/C	—	—	8	—	—
1200	SW	6	29.36	-	42	BC	—	—	8	—	—
1600	SW	6	29.34	-	46	BC	—	—	8	—	—
2000	SW	4	29.34	-	38	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2240	23	2300
EXPENDED	10	—	100
REMAINING	2230	23	2200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		✓			TOTAL FOR DAY								
TOTAL FOR MONTH		6	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all K's A/N
0400 Checked all K's A/N
0600 Secured main Light.
0745 Quarters

J V Owen

0800-1600

0800 Colours - turn to
0845 Civilian Contractors arrived.
1200 Chow
1300 Turn to.

J V Owen

~~1600~~ 1600-2400

1600 - Secured from work detail - Checked all K's A/N
1715 - Civilian Contractors departed.
1800 - Main Light on - Colors -
2000 - Checked all K's A/N

J. V. Owen

CERTIFIED TO BE CORRECT

J. V. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 4 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.38	–	34	BC	–	–	8	–	–
0400	NW	2	29.40	–	34	BC	–	–	8	–	–
0800	NW	2	29.40	–	38	BC	–	–	8	–	–
1200	NW	2	2940	–	50	BC	–	–	8	–	–
1600	NW	2	2942	–	44	BC	–	–	8	–	–
2000	NW	2	2942	–	38	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2230	23	2200
EXPENDED	10	–	100
REMAINING	2220	23	2100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY		–			TOTAL FOR DAY								
TOTAL FOR MONTH		6	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 checked all Vis A/N
0400 checked all Vis A/N
0600 secured main light.
0745 Quarters

J W Owen

0800-1600

0800 Colors - Turn to
1200 Chow
1300 Turn to

L G White

1600 - 2400

1600 secured from Work checked. Vis A/N
1800 colors & turned on Main. Light
2000 check Vis A/N

L G White

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 5 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.46	–	36	BC	—	—	8	—	—
0400	NW	2	29.48	–	34	BC	—	—	8	—	—
0800	NW	2	29.48	–	38	BC	—	—	8	—	—
1200	NW	3	29.48	–	50	BC	—	—	8	—	—
1600	NW	3	29.48	–	46	BC	—	—	8	—	—
2000	NW ~~NW~~	2 ~~2~~	29.50 ~~34~~	– –	44 ~~36~~	BC ~~BC~~	—	—	8 ~~8~~	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2220	23	2100
EXPENDED	10	–	100
REMAINING	2210	23	2000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0600 Secured main Light
0745 Quarters

J. W. Owens

0800 Colors — Turn to
1030 Group Commander on board for inspection
1200 Chow
1230 Group Commander departed.
1300 Turn to

J. W. Owens

1600 - 2400

1600 - Secured from work details - checked all Vis A/N
1800 Main Light on - Colors.
2000 Checked all Vis A/N.

J. W. Owens

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 6 April 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29-50	—	38	C	—	—	8	—	—
0400	NW	2	29-52	—	34	C	—	—	8	—	—
0800	NW	2	29-48		38	C	—	—	8	—	—
1200	SW	2	29-40		46	R	—	—	7	—	—
1600	SW	2	2958		47	C	—	—	8	—	—
2000	SW	3	2971		40	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2210	23	2000
EXPENDED	20	—	100
REMAINING	2190	23	1900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	✓	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0800

0000 Checked all A/N

0400 Checked all A/N

0600 secured Main Light

0745 quarters

L G White

0800 – 1600

0800 colors Turned to

1200 chow

1300 turn to

1400 secured

L G White

1600 – 2000

1600 Check all Vis A/N

1800 Turn on Main Light

2000 Check Vis A/N

L G White

CERTIFIED TO BE CORRECT

J. V. Owen
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 7 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.85	~~38~~	38	B/C	—	—	8	—	—
0400	SW	3	29.91	~~38~~	38	B/C	—	—	8	—	—
0800	SW	3	29.78	~~40~~	40	B/C	—	—	8	—	—
1200	W	4	29.70	—	47	B/C	—	—	8	—	—
1600	W	5	29.65	—	50	O	—	—	8	—	—
2000	W	3	29.73	—	40	B/C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2190	23	1900
EXPENDED	20		100
REMAINING	2170		1800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked V's an
0400 Check V's an
0600 secured Main Light
0745 quarters

0800 - 1400 L. G. White

0800 colors Turn to
1200 chow
1300 Turn to

Louis G. White

1400 - 2400

1400 secured from work
1800 Turn on Main Light & colors
2000 checked V's apr

Louis G. White

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 8 April 1961 LOCATION Newport Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2972		38	BC			8		
0400	NW	2	2970		40	BC			8		
0800	NW	1	2980		44	BC			8		
1200	NW	1	2984		46	BC			8		
1600	NW	1	2990		50	BC			8		
2000	NW	1	2999		44	BC			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2170	23	1800
EXPENDED	20		100
REMAINING	2150	23	1700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0000 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked Vis an,
0004 checked Vis an.
0600 secured Main Light
0745 quarters

L L White

0800 - 1600

0800 colors turn to
0940 Owens BM1 returned from Liberty
1200 chow
1300 turn to

R. Sutton

1600 - 2400

1600 secured from Work
1800 colors & turned on Main Light
1923 White En2 begain tower watch
2000 Checked Vis A/N
2400 checked Vis A/N Relieved of tower watch by Sutton L L White

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 9 April 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	30.09	—	37	B/C	—	—	8	—	—
0400	NW	1	30.11	—	35	B	—	—	8	—	—
0800	NW	2	30.18	—	42	B	—	—	8	—	—
1200	SW	3	30 18	—	48	BC	—	—	8	—	—
1600	SW	3	30.13	—	42	B/C	—	—	8	—	—
2000	SW	3	30 13	—	40	D-C	—	—	8	—	

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2150	23	1700
EXPENDED	20		100
REMAINING	2130	23	1600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		6	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Sutton SN on watch
Checked all vis a/n
0400 Checked all vis a/n
0600 Turned off main light
0630 Revelee
0745 Quarters

R. Sutton

0800 - 1600

0800 Colors - Turn to
1200 Chow
1300 Turn to
14300 White, EN2 Departed on liberty

J. V. Owen

1600 - 2400

1600 Secured from work - Checked all vis a/n
1800 Evening colours - Turned main light on
2000 Checked all vis. a/n

R. Sutton

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 10 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	2	30.00	–	36	C	–	–	8	–	–
0400	NE	3	29.94	–	38	C	–	–	8	–	–
0800	NE	5	29.94	–	39	O	–	–	8	–	–
1200	NE	6	29.49	–	40	S/R	–	–	6	–	–
1600	NE	4	29.30	–	40	F	–	–	3	–	–
2000	NE	2	29.28	–	36	F	–	–	3	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2130	23	1600
EXPENDED	20	–	100
REMAINING	2110	23	1500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1100

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
1100	2030	9	30	
TOTAL FOR DAY		9	30	
TOTAL FOR MONTH		76		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all v/s s/a
0400 Checked all v/s s/a
0600 Secured main light.
0745 Quarters

J. V. Owen

0800 - 1600

0800 Colours - Turned to
1100 Turned on fog signal / Gull rocks bell + main light
1200 Chow
1300 Turned to

R. Satter

1600 - 2400

1600 Secured from work. Checked all v/s s/a
1610 Civilian contractors departed.
1800 Colors -
2000 Checked all v/s s/a
2030 Secured Fog signal + Gull Rocks bell

J. W. Owen

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 11 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	2	29.32	—	36	D/2	—	—	7	—	—
0400	SW	3	29.35	—	37	O	—	—	8	—	—
0800	SW	3	29.44	—	42	O	—	—	8	—	—
1200	W	4	29.48	—	48	C	—	—	8	—	—
1600	NW	6	29.52	—	48	BC	—	—	8	—	—
2000	NW	3	29.66	—	44	B-C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2110	23	10000
EXPENDED	20	—	100
REMAINING	2090	23	9900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all vis A/N
0400 checked all vis A/N
0600 Secured main light
0745 Quarters

R. Sutton

0800 - 1600

0800 Colors - Turn to
0830 CGC Hornbeam arrived with water supply
0845 White EN2 returned from liberty.
1030 CGC Hornbeam departed - delivered 6500 gal. water
1200 Chow
1300 Turn to.

J. W. Oman

1600 - 2400

1600 Secured from Work, Checked all Vis A/N
1800 turned on Main Light, colors
2000 checked Local A/N

L. G. White

CERTIFIED TO BE CORRECT

J. W. Oman
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 12 April 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2972	—	38	B.C	—	—	8	—	—
0400	NW	2	2974	—	40	BC	—	—	8	—	—
0800	NW	3	29.84	—	44	BC	—	—	8	—	—
1200	W	3	29.84	—	52	BC	—	—	8	—	—
1600	W	2	29.84	—	42	BC	—	—	8	—	—
2000	W	2	29.82	—	42	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2090	23	9900
EXPENDED	20	—	100
REMAINING	2070	23	9800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked Vis A/W
0400 Checked Vis A/W
0530 secured Main Light
0745 Quarters.

J. W. Owen

0800-1600

0800 Colors - Turn to
0830 Sutton, SN departed on liberty. Civilian Contractors arrived.
1200 Chow
1300 Turn to

L. G. White

1600 - 2400

1600 secured from Work
1800 Turned of Main Light, Colors
2000 Checked Vis A/W

L. G. White

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 13 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	2	29.70	—	40	C	—	—	8	—	—
0400	NE	4	29.62	—	36	C	—	—	8	—	—
0800	NE	4	29.48	—	36	C	—	—	8	—	—
1200	NE	3	29.50	—	41	D	—	—	6	—	—
1600	NE	2	29.28	—	40	F	—	—	5	—	—
2000	NE	3	30.58	—	40	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2070	23	9800
EXPENDED	20	—	100
REMAINING	2050	23	9700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530-0715 Time Lighted 0615-0900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
0615	0715	1	—	
0900	1930	10	30	
TOTAL FOR DAY		11	30	
TOTAL FOR MONTH		27	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 checked all vis A/N
0400 checked all vis A/N
0530 Secured main Light.
0615 Started Fog Signal, Gull Rocks Bell & main Light on
0715 Secured Fog Signal, Gull Rocks Bell + main Light.
0745 Quarters

J. W. Owen

0800-1600

0800 Colors - Turn to
0900 Started Fog Signal; Gull Rock Bell, main light on -
1200 Chow
1300 Turn to

L G White

1600 - 2400

1600 - Secured from work detail - checked all Vis A/N
1600 - 2400
1800 - Colors
1930 - secured Fog Horn & Gull Rock Bell
2000 checked Vis A/N

L G White

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 14 April 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE		30.14		42	B-C			8		
0400	NE		29.28		44	BC			8		
0800	NW		29.44		48	BC			8		
1200	NW		2948		46	BC			8		
1600	NW		2954		46	BC			8		
2000	NW		2970		44	BC			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2050	23	9700
EXPENDED	20	—	100
REMAINING	2030	23	9600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

00:00 - 0800

00:00 Checked Vis A/N
0400 Checked Vis A/N
0530 secured Main Light L G White

0800 - 1600

0800 colors, Turn to
0900 Sutton SN returned from Liberty
J W Owens went on Liberty & transferred to Groton, Conn.
1200 Chow
1300 Turn to

L G White

1600 - 2400

1600 secured from Work. Checked Vis A/N
1800 colors, turned on Main Light
2000 checked Vis. A/N

L G W

CERTIFIED TO BE CORRECT

L. G. White
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 15 april 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.78	—	43	P/C	—	—	8	—	—
0400	N	1	29.83	—	44	B	—	—	8	—	—
0800	NE	1	29.89	—	48	B	—	—	8	—	—
1200	SW	2	29.88	—	48	B	—	—	8	—	—
1600	SW	2	29.94	—	45	B	—	—	8	—	—
2000	SW	2	30.100		44	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2030	23	9600
EXPENDED	10	—	100
REMAINING	2020	23	9500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 18:00

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all vis a/n
0400 checked all vis a/n
0530 Secured main light L G White

0800 - 1600

0800 colours & Turned to
1200 chow
1300 turn to

L G White

1600 - 2000

1600 secured from work checked Vis A/N
1800 colors turned on Main Light
2000 Checked Vis A/N.

L G White

CERTIFIED TO BE CORRECT

L G White
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 16 April 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2992		40	BC	—	-	8	—	—
0400	NE	2	2988		39	C	—	—	7	~~8~~	—
0800	NE	3	2984		40	C	-	—	7	—	—
1200	SE	2	2964		41	F	—	-	6	—	—
1600	SE	2	2948		46	R	—	-	8	—	—
2000	SE	2	2942		44	F	—	-	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	20:20	23	9500
EXPENDED	10	—	100
REMAINING	20:10	23	9400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1330

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
1330	1700	3	30	
1730	2100	3	30	
TOTAL FOR DAY		7	00	
TOTAL FOR MONTH		34	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

00:00 – 0800
0000 Checked Vis a/N
0400 checked Vis a/N
0530 secured Main Light
0800 – 1600 L J White
0800 colors turn to
1200 chow
1330 turned on fog horn Main Light & Gull Island Bell
1600 – 2400 L J White
1600 secured from Work
1700 secured Fog horn & Gull Island ~~Light~~ and Main Light
1730 turned on Main Light Fog horn & Gull Island bell
1800 colors
2000 checked Vis a/n
2100 secured Foghorn & Gull Island Bell L J White

CERTIFIED TO BE CORRECT

Louis J. White
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 17 april 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	29.50	—	42	O	—	—	8	—	—
0400	W	2	2956	—	40	BC	—	—	8	—	—
0800	SW	3	29.64	—	43	B	—	—	8	—	—
1200	SW	3	29.92	—	47	B	—	—	8	—	—
1600	SW	2	2964	—	44	B	—	—	8	—	—
2000	SW	2	2966	—	42	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2010	23	9400
EXPENDED	20	—	100
REMAINING	1990	23	9300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 — 0800

0000 - Checked all vis a/n

0400 - Checked all vis a/n.

0530 - Secured main light

R. Pretter

— 0800 - 1600 —

0800 Colors - Turned to

1030 ROY VINCENT, R (311-365) BM-1 YRR Reported aboard this unit

1200 chow

1300 turn to

L. G. White

— 1600 - 2400 —

1600 secured from work Check Vis a/n

1800 COLORS, TURNEd ON MAIN LIGHT.

2000 Checke Vis a/n

L. G. White

CERTIFIED TO BE CORRECT

Vincent Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 18 April 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2964		42	BC	-	-	8	-	-
0400	NW	2	2962		44	BC	-	-	8	-	-
0800	NW	2	2959	-	45	O	-	-	8	-	-
1200	NE	3	2963	X	46	O	NS	10	8	-	-
1600	NE	3	2972	X	39	O	NS	10	7	-	-
2000	NE	3	2982	X	38	O	NS	10	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1990	23	9300
EXPENDED	10	-	100
REMAINING	1980	23	9200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked Vis A/N
0400 Checked Vis A/N
0830 Secured main light

R. Sutton

0800-1600

0800 MADE MORNING COLORS.
1130 SECURED FOR CHOW,
1200 TURNED TO STATION WORK,

R. Sutton

1600-2400

1630 SECURED FOR CHOW
1800 COLORS. TURNED ON. MAIN LIGHT. CHECKED.
ALL VIS A/N.
1830 TURNED TO STATION WORK. (PAINTED BED ROOM).
2230 SECURED FROM STATION WORK.

Vincent Roy BM-1

CERTIFIED TO BE CORRECT

Vincent R Roy BM1
(Officer In Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/S

DATE 19 April 1961 (Insert day of week, day, month, year) LOCATION Rose Island Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	4	29.89	—	36	o	AS/ST	10	8	—	—
0400	NE	4	29.92	—	37	o	AS/ST	10	8	—	—
0800	NE	4	2996	X	37	O	AS/ST	10	8	—	—
1200	NE	3	30.01	—	40	c	AS	8	8	—	—
1600	NE	3	30.06	—	41	c	AS	7	8	—	—
2000	NE	1	30.10	—	38	c	AS	4	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1980	23	9200
EXPENDED	15	—	100
REMAINING	1965	23	9100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	—
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 checked all vis a/n
0400 checked all vis a/n
0530 Secured main light

R. Sutton

0800-1600

0800 Morning colours - Turned to station work
1130 Secured for chow
1200 Turned to station work

1600-2400

1630 Secured for chow

Vincent Roy BM-1

1700 Turned to station work (Painted ceiling in living room)
1800 Turned on main light + Checked all vis a/n
Evening colours
2200 Secured from work + checked all vis a/n

R. Sutton

CERTIFIED TO BE CORRECT

Vincent Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/Sta.

DATE Thursday 20 April 1961 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	30.14	–	36	c	As	2	8	–	–
0400	NW	2	30.18	–	37	B	–	–	8	–	–
0800	NW	2	30.21	–	47	B	–	–	8	–	–
1200	NW	2	30.27	–	48	C	–	–	8	–	–
1600	NW	2	30.30	–	47	C	–	–	8	–	–
2000	NW	1	30.31	–	46	Bc	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1965	23	9100
EXPENDED	10	–	100
REMAINING	1955	23	9000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

— 0000 – 0800 —

0000 – checked all vis a/n
0400 – checked all vis a/n
0530 – Secured main light

R. Sutton

— 0800 – 1600 —

0800 Morning Colours & Turned to station work
0900 WHITE, RETURNED FROM
LIBERTY ON TIME. SUTTON DEPARTED ON
TWO DAYS LIBERTY
1130 SECURED FOR CHOW
1200 TURNED TO STATION WORK.
1430 WHITE LOWIS G. (328-539 EN-2 DEPARTED ON EMERGENCY
LEAVE CALLED SUTTON BACK. 1 DAY EARLY.
FROM LIBERTY

— 1600 – 2400 —

1600 SUTTON RETURNED ABOARD. THIS
UNIT CIVILIAN WORKER DEPARTED
THIS UNIT
1630 SECURED FOR CHOW.
1700 TURNED TO STATION WORK.
1800 TURNED ON MAIN LIGHT CHECKED ALL
VIS A/N.
2200 SECURED FROM STATION WORK.

Vincent Roy BM-1

CERTIFIED TO BE CORRECT

Vincent Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/Sta.

DATE Friday 21 April 1961 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30-29	–	46	B	–	–	8	–	–
0400	Calm		30-26	–	46	B/C	AS	2	8	–	–
0800	Calm		30.23	–	50	B/C	AS	2	8	–	–
1200	SW	3	30.20	–	52	B/C	AS	1	8	–	–
1600	SW	4	30.15	–	49	B/C	AS	2	8	–	–
2000	SW	5	30.09	–	43	B/C	AS	2	8	–	–

SUPPLIES (Vessel Report Daily)	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1955	23	9000
EXPENDED	10	–	100
REMAINING	1945	23	8900

COMPLEMENT	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

— 0000 — 0800 —

0000 Checked all vis a/n
0400 Checked all vis a/n
0530 Turned off main light

R. Sutton

— 0800 - 1600 —

0800 Morning colours & Turned to station work
1130 Secured for chow
1200 Turned to station work
1630 Secured for chow - 1600 - 2400 — Vincent R. Roy
1700 Turned to station work
1830 Turned on main light & Checked all vis a/n
2200 Secured from station work

R. Sutton

CERTIFIED TO BE CORRECT

Vincent Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/Sta.

DATE Saturday 22 April 1961 (Insert day of week, day, month, year) LOCATION Newport, RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	5	30.06	—	43	O	—	—	8	—	—
0400	SW	2	30.04	—	43	OZ	—	—	8	—	—
0800	0	0	30.02	—	44	OZ	—	—	8	—	—
1200	SW	2	29.99	—	50	B/C Z	—	—	8	—	—
1600	SW	2	29.94	—	48	O Z	—	—	8	—	—
2000	S	2	29.90	—	46	O Z	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1945	23	8900
EXPENDED	10	—	100
REMAINING	1935	23	8800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2200	2210		10	
2230	0000	1	30	
TOTAL FOR DAY		1	40	
TOTAL FOR MONTH		36	10	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all vis A/N

0400 Checked all vis A/N

0530 Secured main light R. Sutton

0800 - 1600

0800 Turned to Station work + Morning colours

1130 Secured for chow

1200 Turned To Station work

-1600 - 2400-

1630 Secured for Chow V. R. Roy BM-1

1700 Turned To Station work

1830 Turned on main light

2200 Secured from Station work

Turned on fog Signal + Gull Rocks bell

2210 Secured fog Signal + Gull Rocks bell

2230 Turned on fog signal + Gull Rocks bell R. Sutton

2400 SECURED FOG SIGNAL & GULL ROCKS BELL

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/Sta.

DATE Sunday 23 April 1961 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	3	29.80	—	43	O/R	—	—	7	—	—
0400	W	1	29.80	—	46	B/C	—	—	8	—	—
0800	NW	2	29.79	—	55	B/C	—	—	8	—	—
1200	NW	4	29.77	—	64	B/C	—	—	8	—	—
1600	NW	3	29.77	—	64	B/C	—	—	8	—	—
2000	Calm		29.81	—	55	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1935	23	8800
EXPENDED	10	—	100
REMAINING	1925	23	8700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

- 0000 - 0800 -

0000 Checked all vis A/N
0400 Checked all vis A/N
0530 Secured main light

R Sutton

0800 - 1600

0800 Morning colours & turned to station work
1130 Secured for chow
1200 Turned to station work

Vincent Roy.

1600 - 2400

1630 Secured for chow
1700 Turned to station work
1830 Turned on main light
2230 Secured from station work

R. Sutton

CERTIFIED TO BE CORRECT

Vincent Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/STa.

DATE Monday 24 April 1961 (Insert day of week, day, month, year) LOCATION Newport, RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.85	—	50	BC	—	—	8	—	—
0400	SW	2	29.73	—	49	BC	—	—	8	—	—
0800	SW	2	2981	—	47	O	—	—	8	—	—
1200	O	O	2976	—	50	O	NS	10	2	—	—
1600	E.	1	2966	—	51	O	NS	10	6	—	—
2000	SE	1	2968	—	48	BC	NS	4	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1925	23	8700
EXPENDED	10	—	100
REMAINING	1915	23	8600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1200	1430	2	30	15
2300	2400	1	00	15
TOTAL FOR DAY		3	33	
TOTAL FOR MONTH		39	40	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all v.s A/n

0400 Checked all v.s A/n

0530 Secured main light

0800 - 1600

0800 Morning colours + Turned to Station work

0830 White ~~EN~~ EN-2 Returned from Emer. leave
Sutton SN. Departed on Liberty

0900 WHITE LOWIS G. (328-539) EN-2 RETURNED TO THIS STATION ON TIME FROM EMERGENCY (3) days. leave

1200 TURNED ON FOG SIGNAL & GULL ROCKS BELL

1230 SECURED FROM STATION WORK

1430 Secured Foghorn Main light & Gull Rock Bell

1630 SECRED FROM STATION WORK.

1830 Turned on Main light Colors

2000 Checked Vis. A/N

2300 TURNED ON FOG HORN & GULL ROCKS BELL

2400 Secured Fog Horn & Gull Rocks Bell

Louis G. White

CERTIFIED TO BE CORRECT

Vincent Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 25, 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSE	2	2984		44	C	NS	8	7	—	—
0400	SE	2	2984		46	C	NS	5	8	—	—
0800	SE	2	2984		48	C	AS/ST	5	8	—	—
1200	SE	2	2980		50	O	NS	10	7	—	—
1600	SE	4	2950		51	O	NS	10	7	—	—
2000	SE	3	2956		54	O	NS	10	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1915	23	8600
EXPENDED	10	-	100
REMAINING	1905	23	8500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
~~0100~~	~~0230~~	~~1~~	~~30~~	~~15~~
0130	0230	1	—	15
TOTAL FOR DAY		1	—	
TOTAL FOR MONTH		40	~~35~~ 40	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 — 0800
0000 checked Vis, A/N
0100 Started Foghorn & Gull Rocks Bell
0230 Secured Fog Horn & Gull Rocks Bell
0400 Checked Vis A/N
0630 SECURED MAIN LIGHT
0800 MORNING COLORS, CHECKED. ALL VIS A/N
TURNED TO STATION WORK.
1130 SECURED FROM STATION WORK FOR CHOW
1200 TURNED TO STATION WORK.
1630 SECURED FROM STATION WORK.
1830 Turned on Main Light Colors
~~2000 Checked Vis A/N~~
~~2400 Checked Vis A/N~~ VRR.

x Vincent R. Roy.

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Ligth Station

DATE Wenday 26, 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	1	2950	—	50	0	NS	10	0	—	—
0400	SE	1	2948	—	49	0	NS	10	0	—	—
0800	S	1	2943	—	52	0	NS	10	1	—	—
1200	SW	3	2938	—	58	BC	AS/ST	8	8	—	—
1600	SW	3	2962	—	55	B	—	0	8	—	—
2000	SW	4	2970	—	48	B	—	0	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1905	23	8500
EXPENDED	10	—	100
REMAINING	1895	23	8400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1030 A.M. Time Lighted 1830 P.M.

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
0530	1030	5	0	15									
TOTAL FOR DAY		5	0		TOTAL FOR DAY								
TOTAL FOR MONTH		45	40		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0530 TURNED ON FOG SIGNAL & GULL RKS BELL
0800 MORNING COLORS TURNED TO STATION WORK.
1030 SECURED FOG SIGNAL AND GULL RKS BELL
1130 SECURED FOR CHOW.
1230 TURNED TO STATION WORK.
1630 SECURED FOR CHOW
*0900 SUTTON RETURNED FROM LIBERTY
*0905 WHITE DEPARTED ON 1 DAY LIBERTY
1700 TURNED TO STATION WORK.
1830 TURNED ON MAIN LIGHT
*1030 SECURED MAIN LIGHT
2130 SECURED FROM STATION WORK,

Vincent Roy. BM-1

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station Newport, R.I.

DATE Thursday 27 April 1961 LOCATION Newport, R I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	2925	—	46	C	—	—	8	—	—
0400	NW	3	2982	—	46	C	—	—	8	—	—
0800	NW	4	2996	—	50	C	—	—	8	—	—
1200	C	0	30.30	—	71	C	—	—	8	—	—
1600	SW	5	29.97	—	47	C	—	—	8	—	—
2000	SW	3	~~30~~ 2997	—	46	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1895	23	8400
EXPENDED	10	—	100
REMAINING	1885	23	8300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 CHECKED ALL VIS A/N
0400 CHECKED ALL VIS A/N
0530 SECURED MAIN LIGHT
0800 MORNING COLORS TURNED TO STATION WORK.

1130 Secured for chow

1200 Turned to station work
1300 WHITE LOWIS G. EN-2 RETURNED FROM 1 one day LIBERTY
1630 SECURED FROM STATION WORK.
1830 TURNED ON MAIN LIGHT

Vincent Roy BM-1

~~2000 Checked all vis A/n~~
~~2400 checked all vis A/n~~ VRR.

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLANd LT. STA. NEWPORT. R.I.

DATE FRIdAY 28 APRIL 1961 LOCATION NEWPORT. R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	2	2994		44	BC			8		
0400	SE	2	2990		44	BC			8	—	
0800	SE	2	2986		48	BC			8		
1200	SE	3	2980		52	BC			8		
1600	SE	3	2976		56	BC			8		
2000	SE	3	2976		52	BC			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1885	23	8300
EXPENDED	10	—	100
REMAINING	1875	23	8200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N
0400 Checked Vis A/N
0530 secured Main Light
0800 Morning colors turn to station work
1130 secured crew
1220 turn to station work
1830 secured from work
2000 Checked Vis. A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island. Light Station

DATE April 29, 1961 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	—	—	2970	—	42	O	NS	10	7	—	—
0400	E ~~NE~~	2	2972	—	42	O	NS	10	6	—	—
0800	E ~~NE~~	2	2960	—	44	O	NS	10	4	—	—
1200	NE	3	2964	—	46	O/R	NS	10	7	—	—
1600	NE	4	29.66	—	45	O/R	NS	10	8	—	—
2000	NE	5	29.69	—	43	O	NS	10	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1875	23	8200
EXPENDED	10	—	—100
REMAINING	1865	23	8100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 CHECKED ALL VIS A/N
0400 CHECKED ALL VIS A/N
0530 SECURED MAIN LIGHT
0800 MORNING COLORS TURNED TO STATION
WORK. + checked all vis A/N
1130 Secured for chow
1200 Turned to station work + checked all a/n
1830 Secured from station work
2000 checked all vis A/N

R. Sutton

Vincent Roy BM-1

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island L/Sta.

DATE Sunday 30 April 1961 (Insert day of week, day, month, year) LOCATION Newport, RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	4	29.72	—	42	O	NS	10	8	—	—
0400	NW	3	2973	-	44	O	NS	10	8	—	—
0800	NW	4	2978	-	45	O	NS	8	8	—	—
1200	N	3	29.79	—	54	B/C	AC	5	8	—	—
1600	SW	4	2999	-	52	B/C	AC	8	8	—	—
2000	NW	4	2988	-	52	BC	NS	8	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1865	23	8100
EXPENDED	~~186~~10	—	100
REMAINING	1855	23	8000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1915

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked Vis A/N
0200 turned clock ahead 1 hour
0400 checked Vis A/N
0530 checked Vis A/N

LLWhite

0800 - 1600

0800 Morning colors turn to station work
1130 Secured from Station work
1200 Chow
1230 TURNED TO STATION WORK.
*1630 SECURED FROM STATION WORK.
1915 TURNED ON MAIN LIGHT
1830 Gr. Commander P.N. Campagna boarded This unit for instection of same
1930 Gr. Commander departed unit
2000 Checked all vis A/N

P. Sutton

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1